

**AMENDMENTS TO THE CLAIMS**

Please amend the claims as follows.

1. (Currently Amended) A method of managing resources, said method comprising:
  - accessing a list of resources, wherein a resource comprises an object defined by a service type and wherein a resource is identifiable by a resource name;
  - comparing a first resource name for a first resource to a second resource name for a second resource to identify a relationship between said first and second resources wherein said relationship is based on said first resource name and said second resource name and wherein said relationship determines that the second resource is a sub-resource of the first resource; and
  - representing said first and second resources in a hierarchical organization reflecting said relationship, wherein said hierarchical organization comprises a top-level resource name and a plurality of sub-resource names corresponding to said top level resource name, wherein said plurality of sub-resource names comprises said top-level resource name and an additional name portion separated from said top-level resource name by a delimiter.
2. (Original) The method of claim 1, further comprising:
  - receiving a request identifying a resource; and
  - locating said resource in said hierarchical organization to determine whether said resource is subject to a policy definition governing access to said resource.
3. (Original) The method of claim 1, further comprising:
  - listing said resources in order according to their respective relationships.
4. (Previously Presented) The method of claim 1, wherein a resource name comprises a plurality of components, wherein one component is separated from another component by said delimiter.
5. (Original) The method of claim 4, wherein said comparing comprises:
  - receiving information identifying what is used as said delimiter.
6. (Original) The method of claim 4, wherein said comparing comprises:

receiving information for wildcard pattern matching of resource names.

7. (Original) The method of claim 4, wherein said comparing comprises:  
receiving information indicating whether a resource name is case-sensitive.
8. (Original) The method of claim 1, wherein one of said first and second resources is identified as a sub-source of the other.
9. (Currently Amended) A computer system comprising:  
a memory unit; and  
a processor coupled to said memory unit, said processor for executing a method of managing resources, said method comprising:  
receiving a listing of resources, wherein a resource comprises an object defined by a service type and wherein a resource is identifiable by a resource name;  
determining a relationship between a first resource and a second resource by comparing their resource names, wherein said relationship determines that the second resource is a sub-resource of the first resource; and  
arranging said first and second resources in a hierarchical organization reflecting said relationship, wherein said hierarchical organization comprises a top-level resource name and a plurality of sub-resource names corresponding to said top level resource name, wherein said plurality of sub-resource names comprises said top-level resource name and an additional name portion separated from said top-level resource name by a delimiter.
10. (Previously Presented) The computer system of claim 9, wherein said method further comprises:  
receiving a request to access a resource; and  
traversing said hierarchical organization to locate said resource and determine whether said resource is subject to a policy definition governing access to said resource.
11. (Previously Presented) The computer system of claim 9, wherein a resource name comprises a plurality of components, wherein one component is separated from another component by said delimiter.

12. (Original) The computer system of claim 11, wherein said determining comprises:  
identifying a character type used as said delimiter.
13. (Original) The computer system of claim 11, wherein said determining comprises:  
identifying wildcard pattern used for comparing resource names.
14. (Original) The computer system of claim 11, wherein said determining comprises:  
indicating whether a resource name is case-sensitive.
15. (Original) The computer system of claim 9, wherein one of said first and second resources is identified as a sub-resource of the other.
16. (Currently Amended) A computer-usable medium having computer-readable program code embodied therein for causing a computer system to perform a method of managing resources, said method comprising:  
accessing a list of resources, wherein a resource comprises an object defined by a service type and wherein a resource is identifiable by a resource name;  
comparing a first resource name for a first resource to a second resource name for a second resource to identify a relationship between said first and second resources wherein said relationship is based on first resource name and said second resource name and wherein said relationship determines that the second resource is a sub-resource of the first resource; and  
representing said first and second resources in a hierarchical organization reflecting said relationship, wherein said hierarchical organization comprises a top-level resource name and a plurality of sub-resource names corresponding to said top level resource name, wherein the plurality of sub-resource names comprises said top-level resource name and an additional name portion separated from said top-level resource name by a delimiter.
17. (Previously Presented) The computer-usable medium of claim 16 wherein said computer-readable program code embodied therein causes said computer system to perform said method further comprising:  
receiving a request identifying a resource; and

locating said resource in said hierarchical organization to determine whether said resource is subject to a policy definition governing access to said resource.

18. (Original) The computer-usable medium of claim 16 wherein said computer-readable program code embodied therein causes said computer system to perform said method further comprising:

listing said resources in order according to their respective relationships.

19. (Previously Presented) The computer-usable medium of claim 16 wherein a resource name comprises a plurality of components, wherein one component is separated from another component by said delimiter.

20. (Original) The computer-usable medium of claim 19, wherein said computer-readable program code embodied therein causes said computer system to perform said method further comprising:

receiving information identifying what is used as said delimiter.

21. (Original) The computer-usable medium of claim 19, wherein said computer-readable program code embodied therein causes said computer system to perform said method further comprising:

receiving information for wildcard pattern matching of resource names.

22. (Original) The computer-usable medium of claim 19, wherein said computer-readable program code embodied therein causes said computer system to perform said method further comprising:

receiving information indicating whether a resource name is case-sensitive.

23. (Original) The computer-usable medium of claim 16 wherein one of said first and second resources is identified as a sub-resource of the other.

24. (Currently Amended) A method of managing resources, said method comprising:

accessing a list of resources, wherein a resource comprises an object defined by a service type and wherein a resource is identifiable by a resource name having a number of name components, wherein said number of name components are separated by delimiters;

comparing a name component of a first resource name to a name component of a second resource name to identify a relationship between a first resource and a second resource, wherein said relationship determines that the second resource is a sub-resource of the first resource;

organizing said first and second resource names in a hierarchical structure according to said relationship, wherein said hierarchical structure comprises a top-level resource name and a plurality of sub-resource names corresponding to said top level resource name, wherein said plurality of sub-resource names comprises said top-level resource name and an additional name portion separated from said top-level resource name by a delimiter;

receiving a request for access to said resource;

locating said resource in said hierarchical structure; and

determining whether said resource is subject to a policy definition governing access to said resource.

25. (Original) The method of claim 24, wherein said comparing comprises:

receiving information identifying a character used as said delimiter.

26. (Original) The method of claim 24, wherein said comparing comprises:

receiving information for wildcard pattern matching of resource names.

27. (Original) The method of claim 24, wherein said comparing comprises:

receiving information indicating whether said resource name is case-sensitive.

28. (Previously Presented) The method of claim 2, further comprising:

forwarding the request identifying the resource from a first policy decision point to a second policy decision point for evaluation.

29. (Previously Presented) The method of claim 2, further comprising:

storing the policy decision in a cache, wherein the policy decision is used to evaluate a subsequent request for said resource.